



PROJECT _____

TYPE _____

NOTES _____

QUANTITY _____

DATE _____



General

Ceiling _____
 Surface _____
 tilt max 90 ° _____
 rotation 350 ° _____
 White Matt _____
 IP20 _____
 Interior _____

LED


lamp PAR11 _____
 socket GU10 _____
 max. per socket 12.0 W _____

Electrical


100 - 240 V _____
 Class I _____
 Standard _____

Physical

diameter 40 mm _____
 height 85 mm _____
 0.37 kg _____



Ceiling surface luminaire with 2 spotlights; made from die-cast aluminium; with rectangular base; adjustable; surface White Matt; powder coated, matt texture; inner ring black; lamp socket GU10; lamp type PAR11; 2x max. 12W; 100 - 240 V; +/- 90° tiltable; degree of protection IP20; Class 1; lamp not included;



[194220W0] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of Wever & Ducré BV apply.



LAMPS

PAR11 LED Lamp

Type	Colour	Voltage	Ø-H (MM)	Item number
2700K >90 CRI GU10	Black		35-48	901128B3
3000K >90 CRI GU10	Black		35-48	901128B5