



Mini Glo-Ball Suspension


Designed by Jasper Morrison, 2006

Halogen - 25W

Suspension lamp providing diffused light. Diffuser consisting of an externally acidetched, hand blown, flashed opaline glass. White painted, injection-molded PPS lamp-holder support.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

EAN	8059607020074	
Mounting	Suspension	
Environments	Indoor dry location	
Light Source Type	Bulb	
Lamp category	Halogen	
Lamp holders	G9	
Ilcos	HSGS	
Number of heads	1	
Power (W)	25	

Physical

Colour	White
Length (mm)	120
Cord colour	Clear
Cord length (mm)	2700
Canopy colour	White
Canopy dimension (mm)	80
Canopy height (mm)	23
Net weight (kg)	0.67
Package height (mm)	190
Package width (mm)	190
Package length (mm)	190
Package volume (m3)	0.01
IP internal	20

L	0	wn	loac	l

Mounting instructions	₩ PDF
Spare Parts	⊉ PDF

Photometric Files

LDT / IES

业 LDT

Technical Drawings

2D	业 ZIP
3D	⊥ ZIP
a Bim	₹ ZIP

https://professional.flos.com/en/global/product/mini-glo-ball-suspension-f4195009/

F4195009

























Schematic light drawing



Photometric

Light distribution	Roto symmetric
Extreme cut off	No

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No





NOT INCLUDED


RF26520


LED Lamp 2W 240lm G9 220-240 2700K T13 Non Dimmable NOT INCLUDED

RF36378

LED BiPin Lamp G9 3,2W 2700K Dimmable

Spare Parts





01.	S1 ceiling rose assembly	RF6256001
02.	5 meter sil/fep 2x0,75	RF4190200
	transparent electrical cable	
03.	G9 5600 lamp holder	RF12818
04.	Mini Glo-Ball Suspension new	RF4195200
	diffuser assembly	

DOWNLOAD









RF6256001

S1 ceiling rose assembly

DE4400000

5 meter sil/fep 2x0,75 transparent electrical cable

RF12818

G9 5600 lamp holder

RF4195200

Mini Glo-Ball Suspension new diffuser assembly